

RECEIVED
CENTRAL FAX CENTER
FEB 03 2005

Docket No. 004518/00019

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT:	West et al.	EXAMINER:	Vestal, R.M.
SERIAL NO.:	10/074,219	GROUP:	1753
FILED:	12 February 2002	CONF. NO.:	6185
FOR:	Combination pH Electrode with Stable Standard Potential		

COMMISSIONER FOR PATENTS
P.O. BOX 1450
ALEXANDRIA, VA 22313-1450
FILED VIA FACSIMILE TO: (703) 872-9306 (14 Total Pages)


Sir:

OFFICE ACTION RESPONSE UNDER 37 C.F.R. § 1.111

In response to the Office Action dated 03 November 2004, please amend the above-identified application as described herein.

Should the Examiner wish to discuss any of the amendments and/or remarks made herein, the undersigned attorney would appreciate the opportunity to do so. Thus the Examiner is hereby invited to call the undersigned, collect, at the number shown.

Respectfully submitted,



Ernest V. Linek (Reg. No. 29,822)
Attorney for Applicant
BANNER & WITCOFF, LTD.
28 State Street, 28th Floor
Boston, MA 02109-1775
Tel: (617) 720-9600
Fax: (617) 720-9601
E-Mail: ELinek@bannerwitcoff.com

Date: February 3, 2005